A Call to Revolutionize Chronic Pain Care in America:

An Opportunity in Health Care Reform

T H E



The Mayday Fund, a family foundation dedicated to reducing human suffering caused by pain, convened a special committee to explore issues related to pain and the practice of medicine. The panel of adult and pediatric pain experts, which included anesthesiologists, neurologists, primary care doctors, emergency physicians, nurses, pharmacists, psychologists, and patient advocates, deliberated at a one-day meeting held in Washington, D.C in June, 2009. This report is the outcome of that meeting.

• • • The Background

Chronic pain—commonly defined as pain persisting longer than six months—affects an estimated 70 million Americansⁱ and is a tragically overlooked public health problem. The burden of chronic pain is greater than that of diabetes, heart disease and cancer combined.^{ii, iii} Ongoing pain can also undermine overall physical, psychological, and social well-being, and is a major cause of disability and costly health care utilization.

Poorly assessed, unrelieved chronic pain can rob individuals and family members of a high-quality life, and it profoundly burdens society as a whole. A 1998 National Institutes of Health (NIH) report concluded that just the economic toll of chronic pain may be estimated at \$100 billion a year in the United States. It has increased significantly since then.

Most people in pain, including those with chronic symptoms, go to primary care providers to get relief. But current systems of care do not adequately train or support internists, family physicians and pediatricians, the other health care providers who provide primary care in meeting the challenge of treating pain as a chronic illness. Primary care providers often receive little training in the assessment and treatment of complex chronic pain conditions. They tend to work under conditions that permit little time with each patient and few options for specialist referrals. It is an unusual patient who has access to coordinated interdisciplinary therapy for ongoing pain symptoms.

Instead of receiving effective relief, patients with persistent pain often find themselves in an endless cycle, seeing multiple health care providers, including many specialists in areas other than pain, who are not prepared to respond effectively. They often endure repeated tests and inadequate or unproven treatments. This may include unnecessary surgeries,

PERSISTENT PAIN: A CHRONIC ILLNESS

Acute pain usually goes away after an injury or illness resolves. But when pain persists for months or even vears. long after whatever started the pain has gone or because the injury continues, it becomes a chronic condition and illness in its own right. This chronic illness of pain, if inadequately treated, can impede the lives of individuals and families and produce a huge burden in health care over-utilization, lost work productivity and rising costs of pain-related disability. Prompt effective treatment of acute pain is critical. If pain becomes persistent, it must be effectively managed as a chronic illness not only to limit long-term human suffering but also to prevent lost productivity within our society.

injections or procedures that have no long-term impact on comfort and function. Patients with chronic pain have more hospital admissions, longer hospital stays, and unnecessary trips to the emergency department. Such inefficient and even wasteful treatment for pain is contributing to the rapid rise in health care costs in the United States. vi

Adults aren't the only ones who suffer. An estimated 20 percent of children experience chronic pain and millions do not receive effective pain relief. Children in pain often bounce from doctor to doctor. If they do not get the appropriate treatment they are at risk of developing a pain condition that might remain into adulthood.^{vii}

MILLIONS OF CHILDREN SUFFER FROM CHRONIC PAIN

Chronic pain is a significant problem for children as well as for adults. In fact, studies suggest that chronic pain may affect 20 percent of all children. Common causes of ongoing pain in children include headaches, stomach pain, musculoskeletal pain, arthritis, sickle cell crisis, and cancer. Some barriers to effective pain relief in the pediatric population include the fact that children may not communicate pain in the same way that adults do and thus pain symptoms might be ignored. In some cases, health professionals do not have enough training to prescribe medications or techniques to soothe a child in pain.

There is also research suggesting that untreated pain can put children at risk of developing chronic pain or anxiety later in life. For example, most children receive 24 immunizations before their second birthday, yet much of the time their pain is ignored or discounted. Such pain, although brief, can be very intense and can lead to long-lasting anxiety. Infants who undergo circumcision without an analgesic have been shown to demonstrate more pain during subsequent routine immunizations than children who were not circumcised. Some facts on pediatric pain:

- Each year 1.5 million children undergo a surgical procedure and many do not receive adequate pain relief.*
- Some 20 percent of children ages 5 to 17 suffer from ongoing headaches.*
- Juvenile arthritis, a painful disease of the joints, affects nearly 250,000 children under the age of 16.*
- By the year 2010, 1 in 1,000 children in the USA will be a cancer survivor and might be dealing with an ongoing pain problem.*

Source: American Academy of Pediatrics and the *American Pain Foundation

Ideally, all patients with pain should obtain an appropriate assessment followed by a plan of care that reflects best practices, to prevent the adverse effects of that pain—both in the short term and over time. Patients with chronic pain should receive a model of care that matches their need, is safe, appropriate, cost-effective, and guided by scientific evidence. They should also have access to a comprehensive approach, with a referral to pain specialists, when necessary.

Acute pain that is not adequately managed can become chronic pain, viii leading to long-term disability, complications and costs. For example, about one-third of people in pain report that their pain is disabling and has a high impact on their ability to function in daily life. Research suggests that the high cost of under-treated pain includes lost productivity. Pain is the second-leading cause of medically-related work absenteeism, resulting in more than 50 million lost workdays each year.

To address this public health problem, the Mayday Fund, a family foundation dedicated to reducing human suffering caused by pain, convened a special committee to explore issues related to pain and the practice of medicine. The panel of adult and pediatric pain experts, which included anesthesiologists, neurologists, primary care doctors, emergency physicians, nurses, pharmacists, psychologists, and patient advocates, deliberated at a one-day meeting held in Washington, D.C. in June, 2009. This report is the outcome of that meeting and subsequent deliberations over the course of several months.

The Pain Committee's Findings

Chronic pain treatment needs major reforms to enhance assessment, increase access to the right care, improve quality and equitable care, and cut costs. Initiatives to address the huge public health problem of unrelieved chronic pain should be part of any discussion on reforming the health care system to enhance access and reduce costs.

The Secretary of the Department of Health and Human Services (HHS), Kathleen Sebelius, has said that the current health care system both under-treats and fails to prevent chronic conditions, a flaw that has contributed to spiraling medical costs. She said that better prevention and treatment of such conditions would save the nation money by preventing costly complications.xi

Historically, the health care system has failed to recognize chronic pain as a legitimate condition. However, it is clear that persistent pain is a complex illness that has many causes and affects every part of life, and in the process, exacts enormous social costs. And unfortunately, like many other chronic illnesses, chronic pain is associated with disparities based upon race, ethnicity, age, gender, and class.

This 'pain as chronic illness' paradigm must inform the health care dialogue. Providers must recognize that acute pain needs prompt treatment as a measure to prevent the chronic illness.xii And chronic pain, if it occurs, must be assessed and managed according to best practice, with the goal of providing comfort, improved functioning, equitable care, and a better quality of life—for all people with chronic pain.

Chronic pain must be addressed similarly to other chronic conditions. When the symptoms and their impact are not severe, the best practice should involve a primary care provider with the skills to evaluate the cause and the nature of the pain, and to implement a plan of care. But in severe cases, the best practice may involve a group of interdisciplinary professionals, whose care is coordinated in a way that addresses all facets of the illness and prevents complications. To manage chronic pain successfully, patients need a comprehensive assessment and, when appropriate, access to a pain specialist. Chronic pain patients might also need a team approach, one that includes physicians, nurses, mental health professionals, physical and occupational therapists, pharmacists, and other health care providers.

Individuals with chronic pain often need a combination of multiple daily medications, and sometimes opioids (strong pain medications), psychological, behavioral and social interventions, rehabilitation therapy, and complementary treatments.xiii Because of the level of pain, some patients should also be offered more interventions, such as injection therapies, nerve blocks, or trials of implanted therapies.

The Cost of Uncoordinated and Unequal Care

Most treatment of chronic pain can and should be centered in the primary care environment, and within a health care system that allows for time and resources to coordinate care. A well informed primary care provider, who is familiar with the causes of and contributing factors that influence pain, can provide helpful medicines and prescribe other appropriate treatments. He or she can also coordinate pain care and help the patient avoid duplicative and often costly evaluations and treatments. Primary provider pain care can also improve the lives of a majority of chronic pain sufferers and reduce the economic burden to society.

NO ACCESS, NO RELIEF

Don Dillard's pelvis was crushed on April 5, 1991 when a truck ran over him at a Detroit recycling plant where he worked at the time. With multiple fractures, the accident changed his life. He was flown to the nearest trauma center, spent 40 days in the hospital and was released in a wheelchair—and in agony.

He spent 10 years undergoing operations, including extensive orthopedic and plastic surgery, and grueling physical therapy that enabled him to walk again. But he was in pain and couldn't sleep. Doctors never prescribed anything more than non-steroidal anti-inflammatory medicines, even though these drugs provided little or no relief. Dillard, who had always been an extremely active person, could no longer work. He struggled with clinical depression and fought to get reimbursements from his insurance company for thousands of dollars in medical expenses.

"Everything about my life had been decimated," he says.

His family and his faith pulled him through that dark period. He finally received a referral to a pain medicine specialist, and a decade after his accident, Dillard got a prescription for a medicine strong enough to handle his severe pain.

It is impossible to know whether the inadequate care received by Dillard—who is African American—was influenced by race. However, extensive studies show that minorities are less likely than whites to receive adequate assessment and treatment for their pain, a disparity that puts minorities at risk for untreated pain, says Carmen R. Green, MD, at the University of Michigan in Ann Arbor where Dillard was treated.

Some physicians aren't trained to handle strong pain medications. And in some cases, physicians fear that patients will misuse the drugs and that fear can override all other judgments, Green says.

Even after Dillard was given an opportunity to try a strong opioid, and it worked, he faced another barrier, one that disproportionately affects minorities. He had trouble filling prescriptions because pharmacies in his area didn't stock medications that are often the target of break-ins. He traveled two hours by car in order to fill his prescriptions in a nearby city.

"I was in excruciating pain during those trips," he says about the ordeal.

But, the stronger medicine eases the pain, allows him to sleep at night, and makes it possible for him to do more around his home, like helping to care for his two-year old grandson and getting yard work done. "It might take me all day, but I can do it," he says.

He is just happy to have his life back.

The lack of effective pain treatment weighs on society in more ways. Disparities related to race, ethnicity, gender, age and class have affected access to competent pain care, including specialty pain care. This has added to the burdens for individuals and has increased costs to the healthcare system. xiv, xv For example, multiple studies show that blacks are less likely to receive pain medication than whites to manage comparable disorders. xvi, xvii Hispanics are also at risk of pain under-treatment, xviii and women in pain are often treated less aggressively than are men. Xix The most vulnerable members of society, young children and the elderly, often receive far less treatment for pain than others. XX, XXI Lower income individuals also may have decreased access and receive lesser quality pain care. XXII

Efforts to improve the management of chronic pain and diminish disparities in pain care will improve quality of life, reduce disability and decrease health care costs for millions of Americans. xxiii Some of these efforts are learned only through research.

NEAR DEATH EXPERIENCE

As far back as she can remember, Deana Luchs remembers the pain.

In elementary school her frequent stomach aches and muscle pain were dismissed as imaginary. "I was called a hypochondriac by the doctors and even by family members."

It wasn't until she was 33 that she got a diagnosis of fibromyalgia, a chronic pain disorder that affects some 10 million Americans.

Like others with fibromyalgia, Luchs suffers from migraine headaches, irritable bowel syndrome and widespread muscular pain. But the diagnosis was just a first step in a long journey, one characterized by numerous trips to doctors, fragmented care, surgeries that didn't assuage her pain, wasteful medical treatment and finally an event that changed her life.

In June 2008, Luchs had an attack of stomach pain she attributed to irritable bowel syndrome. What she didn't realize was this: She'd been taking pain medications and as a side effect had developed severe constipation. The pain got worse and finally Luchs had to be rushed to the hospital when her bowel ruptured and she developed a potentially lethal infection.

This episode was life changing for her and it was the first time she knew she needed coordinated life-long treatment. She also lost almost a year of work.

She started to see an internist who coordinates her care, which now includes pain medications, acupuncture, massage therapy and counseling.

At age 61, Luchs still practices as a speech pathologist and has no intention of retiring anytime soon. "I am now leading an active, productive life with a successful career," she says, adding that pain still interrupts her day but it is manageable. "I have no intention of letting pain take over my life."

A Problem without Adequate Research

Best practices in pain care remain largely determined by clinical experience. Research is needed to identify new therapies, improve the evidence base in support of established approaches, and provide clinical guidance through comparative effectiveness data.

Remarkably, less than one percent of the NIH budget was devoted to pain research in 2008. **xiv** In comparison, research on diabetes, another chronic disease, comprised almost 4% of the 2008 NIH budget. **xv** The share of the NIH budget that is invested in pain research has declined sharply, more than 9 percent between 2004 and 2007 (adjusted for inflation). **xvvi** Given the scope of the problem, the decreasing investment in pain research is a short-sighted policy, and does not reflect the severity and scope of this public health crisis.

The Institute of Medicine's June 2009 report, "Initial National Priorities for Comparative Effectiveness Research," suggests that several areas within pain treatment are ripe for comparative studies on effectiveness, such as treatments for back and neck pain and comparisons of powerful pain medications.**xxvii

The Economic Impact of Poor Pain Care

Underfunded pain research and lack of comparative effectiveness data, both of which can lead to the delayed development of new treatments, impede efforts to address the huge cost of persistent pain. Primary care systems that do not routinely support coordinated chronic pain care and have limited access to specialist care can make it difficult to deliver effective pain care.

Data from the 1998 "NIH Guide: New Directions in Pain Research" says that the annual economic impact of pain experienced by the U.S. workforce, in terms of pain management and pain-related productivity, was more than \$100 billion annually. A 2008 study found that care for lower back pain alone, not including other pain conditions and not just limited to workers, amounted to nearly \$86 billion per year. **xviii*

There are no current estimates of the total cost of poorly controlled pain in today's dollars. Viewed from the perspective of health care inflation (more than 40% during the past decade xxix), the NIH statistics (\$100 billion annually in health care utilization and lost productivity for those in the workforce, xxx and \$86 billion annually for just one diagnosis xxxi) make it likely that the total U.S. spending on pain is at least comparable to the costs associated with other chronic illnesses. The annual costs associated with pain are probably at least as high as the estimated annual cost of \$174 billion that is attributed to diabetes. xxxiii

More needs to be known about the economic impact of chronic pain. But even in the absence of adequate data, it is clear that these enormous pain-related costs represent both a great challenge and an opportunity in terms of improving the quality and cost-effectiveness of care.

If efforts to strive for effective pain care continue to fail, the nation will pay a huge toll. An estimated 75 million baby boomers are in or nearing retirement age and will start—or already have developed—a range of chronic ailments associated with chronic pain. The aging population means that the contribution of pain-related costs to overall U.S. health care expenses are likely to rise sharply in the near future. As this occurs, the economic impact is certain, as are the physical, emotional, social and spiritual impact for millions of people.

TWENTY YEARS OF DEBILITATING PAIN

Gina Libby, age 40, has suffered from lower back pain for 20 years.

She traces the pain back to corrective surgery she had in 1990 for a condition called scoliosis, a curving of the spine. Surgeons fused the bones in her spine together and held them in place with metal rods.

At first, the pain was mild. But by the time Libby turned 30 the pain was severe. The doctors checked the fusion with an x-ray and then sent her home.

"The pain wasn't really addressed," she says.

During the 10-year period from age 30 to 40, Libby went from doctor to doctor but either received episodic treatment or no care at all. She never got a solid diagnosis. Some doctors attributed the pain to the fusion surgery and others chalked the pain up to arthritis, an inflammation of the joints.

Meanwhile, the pain got worse and it began to interfere with her performance at work as a food and drug investigator for California. By age 34, the pain was so constant and so severe that she had to resign. "I could no longer function," she says now about the debilitating pain.

Then Libby got hit with anxiety and depression. "I had always been such a high achiever," she says. The constant pain interfered with her ability to carry out a daily routine.

After decades of failed treatment, Libby connected with a doctor trained to deal with chronic pain who prescribed long-acting pain medications, acupuncture, talk therapy, steroid injections and a nerve block.

She's nearly pain free now.

Looking back, Libby wishes that she'd gotten relief for her pain long ago, and thinks that such prompt treatment might have prevented some of the pain she still deals with on some days.

In fact, research suggests that when pain goes on for a long time, there is a greater risk that it will turn into a chronic syndrome, an illness that can be managed but can't be cured. "My life isn't perfect," Libby says. "But now that I have the appropriate pain care I can do the things that I love to do." And that makes a huge difference in her life.

• • • The Recommendations

The Mayday Fund Special Committee on Pain and the Practice of Medicine was cochaired by Russell K. Portenoy, MD, chair of the Department of Pain Medicine and Palliative Care at Beth Israel Medical Center in New York City and Professor of Neurology and Anesthesiology at the Albert Einstein College of Medicine; and Lonnie Zeltzer, MD, Director of the Pediatric Pain Program at Mattel Children's Hospital, University of California, Los Angeles (UCLA), and Professor of Pediatrics, Anesthesiology, Psychiatry and Biobehavioral Sciences at the David Geffen School of Medicine at UCLA. After reviewing data and discussing the current status of pain management in the United States, the Special Committee recommends that:

Every American who suffers from chronic pain should have **24/7 access to a well-trained primary care provider** who can offer—and coordinate—pain care that is high-quality, equitable, and cost-effective.

Every American with chronic pain who needs sophisticated or high-tech treatment, or whose pain has not responded to best practices in the primary care setting, should have **access to evaluation and treatment by a pain medicine specialist**.

Every patient should expect to have pain managed in a manner that translates the best evidence into appropriate treatments, and then coordinates these treatments into a plan that is likely to be effective in controlling symptoms and promoting function, while minimizing the risks associated with treatment. At the same time, such a plan should reduce the costs associated with duplicative and ineffective treatments.

In order to improve access to appropriate, high-quality, and cost-effective pain care in the United States, the following action steps should be taken:

- Government, health care payors, and health care providers should develop and utilize coordinated health information technology (IT) systems to track pain disorders, treatments, and outcomes as a mechanism to improve pain care. Quality indicators and performance measures should be developed and applied, and the public should gain access to information on the performance of hospitals, doctors and other health care providers.
- State medical and osteopathic boards, deans of medical and other health professional schools, directors of residency training programs in specialties and subspecialties that provide primary care, professional societies and other stakeholders should make sure that every trainee and health practitioner in the health professions has the skills to assess and treat pain effectively, including chronic pain. Licensing examinations should include assessment of clinical knowledge related to appropriate pain care.

- The Health Resources and Services Administration (HRSA) should expand funding for pain training programs that address competencies in pain assessment and management aimed at pediatric and adult primary care physicians, as well as other health professionals who manage pain, such as nurses, pharmacists, psychologists, physical therapists, social workers and other providers.
- The Department of Health and Human Services (HHS) should establish an independent commission to reform the reimbursement practices for chronic pain. At present, Medicare and Medicaid maintain fee for service systems that incentivize procedures and inadequately compensate professionals for the time required to assess, counsel and educate, and coordinate the care of chronic illnesses like persistent pain. This commission should explore outcome-based payments for a team approach for selected cases, revision of the disparity between non-procedural and procedural pain treatments, and parity for mental health services. Ongoing complex chronic pain management should be treated, when possible, with an interdisciplinary, rehabilitation-oriented, team approach with reimbursement for the team, rather than fee-for-service for specific individuals within the team.
- The National Institutes of Health (NIH) should increase funding for pain research to a level that is commensurate with the size of a public health problem that affects millions of people. The research should put an emphasis on emerging therapies and translational research, comparative effectiveness trials, bio-behavioral treatments, and health services research, as well as basic science. More research should focus on ways to prevent acute pain from developing into a chronic illness and to prevent childhood chronic pain from becoming a lifelong condition.
- The Agency for Healthcare Research and Quality (AHRQ) should expand funding for studies aimed at finding a set of best practices that could be used to treat specific types of chronic pain. Providers and policymakers could use such information to develop and promote high quality pain management models.
- The U.S. Surgeon General should make public education about pain, especially chronic pain, a high priority. Such a campaign could educate the public about the risks of untreated and undertreated pain in children and adults as well as promote preventive strategies that can enhance wellness and reduce the risk for the development of chronic pain.
- Health care providers, insurers and government should work to eliminate disparities in access to pain care related to race, ethnicity, gender, age (e.g. children and the elderly), and socioeconomic status so that chronic pain for all individuals in need is recognized and treated without delay.
- Federal, state and local agencies should publicly adopt a balanced approach to the regulation of controlled prescription drugs, particularly opioids. The clinical decisions of prescribers should not be inappropriately influenced by fear of regulatory scrutiny. Research has shown that state laws continue to harbor requirements that are outdated or reflect poor medical practice. A balance must be achieved between the legitimate need to protect public safety and public health through efforts to reduce drug abuse and diversion, and the imperative to

address the public health problem of unrelieved pain. Policies and actions intended to reduce abuse or diversion must also include a comprehensive public analysis of these actions on access to quality and equitable pain care, including access to medications required for legitimate pain management.

· · · Conclusion

Reducing the burden of uncontrolled chronic pain is a societal necessity, a medical challenge and an economic requirement. Chronic pain, if not recognized and treated as a chronic illness, takes an enormous personal toll on millions of patients and their families, and leads to increased health care costs. Chronic pain can also compromise the productivity of the U.S. workforce. Although the impact of pain on patients and on society is among the most serious of public health concerns, chronic pain has been largely left out of the current national debate on health reform. The nation must take the necessary steps to re-define chronic pain as a unique chronic illness and must immediately address this public health crisis.

Committee Co-Chairs

Russell K. Portenoy, MD

Chair, Department of Pain Medicine & Palliative Care, Beth Israel Medical Center Professor of Neurology & Anesthesiology, Albert Einstein College of Medicine

Lonnie Zeltzer, MD

Professor of Pediatrics, Anesthesiology, Psychiatry & Biobehavioral Sciences, David Geffen School of Medicine, University of California, Los Angeles Director, Pediatric Pain Program, Mattel Children's Hospital, UCLA Associate Director, Patients & Survivors Program, UCLA Jonsson Cancer Center

Committee Members

James N. Campbell, MD

Professor of Neurosurgery, Johns Hopkins University

Nancy Eksterowicz, RN, BC, MSN

Immediate Past President, American Society for Pain Management Nursing

Scott M. Fishman, MD

President & Board Chair, American Pain Foundation:

Chief, Division of Pain and Professor of Anesthesiology & Pain Medicine, University of California. Davis

Sandra Fitzler

Senior Director of Clinical Services, American Health Care Association

Kathleen M. Foley, MD

Attending Neurologist, Pain & Palliative Care Service and Chief, Pain Service, Department of Neurology, Memorial Sloan-Kettering Cancer Center

Professor of Neurology, Neuroscience & Clinical Pharmacology, Cornell University Medical College

Rollin M. Gallagher, MD, MPH

President, American Academy of Pain Medicine

Clinical Professor of Psychiatry & Anesthesiology, Director for Pain Policy Research & Primary Care, University of Pennsylvania School of Medicine

Carmen R. Green, MD

Professor of Anesthesiology and Obstetrics & Gynecology, University of Michigan School of Medicine, Associate Professor of Health Management & Policy, University of Michigan School of Public Health

Constance S. Houck, MD

Chair, Section on Anesthesiology & Pain Medicine, American Academy of Pediatrics Senior Associate in Perioperative Anesthesia, Children's Hospital of Boston

Bill McCarberg, MD

Founder, Chronic Pain Management Program, Kaiser Permanente San Diego Adjunct Assistant Clinical Professor, University of California, San Diego

Patrick McGrath, OC, PhD

Vice President, Research, IWK Health Centre Professor of Psychology, Pediatrics & Psychiatry, Dalhousie University

Anne Louise Oaklander, MD, PhD

Associate Professor of Neurology, Harvard Medical School

Assistant in Pathology (Neuropathology), Massachusetts General Hospital

Steven D. Passik, PhD

Associate Attending Psychologist, Department of Psychiatric & Behavioral Sciences, Memorial Sloan Kettering Cancer Center Associate Professor of Psychology in Psychiatry, Cornell University Medical College

Lisa Robin

Senior Vice President, Member Services, Federation of State Medical Boards

Will Rowe

Chief Executive Officer, American Pain Foundation

Seddon R. Savage, MD, MS

President-Elect, American Pain Society Director, Dartmouth Center on Addiction, Recovery & Education Associate Professor of Anesthesiology, Dartmouth Medical School Pain Consultant, Manchester VA Medical Center

Mary Jean Schumann, MSN, MBA, RN, CPNP

Chief Programs Officer, American Nurses Association

Knox H. Todd, MD, MPH

Director, Pain and Emergency Medicine Institute, Beth Israel Medical Center Professor of Emergency Medicine, Albert Einstein College of Medicine

Peter VanPelt, RPh

Senior Manager, Corporate Alliances, American Pharmacists Association

Gary A. Walco, PhD

Director of Pain Medicine, Department of Anesthesiology & Pain Medicine, Seattle Children's Hospital Professor of Anesthesiology, University of Washington College of Medicine

Robert A. Wise, MD

Vice President, Division of Standards and Survey Methods, The Joint Commission

• • • All Signatories

Please note that signatory status indicates only the signatory's endorsement of the content of the Special Committee's report. It does not signify endorsement of the Mayday Fund, The Committee, or any other organization, nor does the Mayday Fund necessarily endorse the organization or person of any or all signatories. Signatories listed below were pulled from the Mayday Pain Report website on August, 22, 2019.

Alliance of State Pain Initiatives	American Society of Law, Medicine & Ethics
American Academy of Family Physicians	
American Academy of Hospice and Palliative Medicine	American Society of Pain Educators
	Association of Oncology Social Work
American Academy of Neurology	Association of Professional Chaplains
American Academy of Pain Management	Center for Practical Bioethics
American Academy of Pain Medicine	Center to Advance Palliative Care
American Academy of Pediatrics	Central Pain Syndrome Foundation
American Cancer Society Cancer Action Network	D.C. Pediatric Palliative Care Collaboration
American Chronic Pain Association	Dept of Family & Preventive Medicine UAMS
American College of Emergency Physicians	For Grace
American Health Care Association	Honor Society of Nursing, Sigma Theta
American Nurses Association	Tau International Center for Nursing Excellence in Long-Term Care
American Pain Foundation	http://chronicpainsociety.com
American Pain Society	International Association for Hospice and Palliative Care
American Pharmacists Association	
American Psychosocial Oncology	International Psycho-Oncology Society
Society	Methadone Support.Org
American Society for Pain Management Nursing	National Alliance for Medication Assisted Recovery
American Society of Consultant Pharmacists	National Association of Social Workers

National Fibromyalgia & Chronic Pain Association

National Palliative Care Research Center

Oregon Pain Management Commission

Pain & Policy Studies Group

Pain Connection-Chronic Pain Outreach Center, Inc.

Pain Society of Oregon

Pain Treatment Topics (Pain-Topics.org)

Patient Physician Trust Partnership

Pelvic Pain Management

Rainbow Medical Corporation

ReCept

Reflex Sympathetic Dystrophy Syndrome Association

Southern California Cancer Pain Initiative

Stress Resources LLC

Texas Pain Advocacy and Information Network (TxPAIN)

The Chronic Pain Association of Canada

The HealthCare Chaplaincy

The Joint Commission

The National Hospice and Palliative Care Organization

US Pain Foundation inc

Western Pain Society

Chad AdkinsChronic pain sufferer

Terry Altilio LCSW, ACSW

Social Work Coordinator, Department of Pain Medicine and Palliative Care

Beth Israel Medical Center

K.J.S. Anand, MBBS, D.Phil., FAAP, FCCM, FRCPCH

Professor of Pediatrics, Anesthesiology, & Neurobiology, St. Jude Chair for Critical Care Medicine, Division Chief, Pediatric Critical Care Medicine

University of Tennessee Health Science Center

Paul Arnstein, RN, PhD

Clinical Nurse Specialist for Pain Relief Massachusetts General Hospital

David Austin

Professor NCSU

Jeff Ayars

Patient RSDS

James Banks, MD

Associate Director

Mercy Health Research, Ryan Headache Center

Anthony Baptista

Founder & Pain Advocate http://chronicpainsociety.com

Michael Barrier

Advocate, organizer, flyer distributor American pain foundation

Timothy Beacham, MD

Assistant Professor, Anesthesiology and Pain Management

University of Mississippi Medical Center

Debra Benner

Dr. - chronic pain educator

Amy Berman

Program Officer

The John A. Hartford Foundation

David Borsook MD, PhD

Associate Professor Harvard Medical School

Barbara Bothe

Jay Burstein

Pain Management Patient

Odette Campbell

Physician

Silas Campbell

Amy Carmona, RN, BN, CHPN

Pain Resource Nurse

Daniel B.Carr, MD

Saltonstall Professor of Pain Research
Department of Anesthesia and Medicine, Tufts
Medical Center

C. Richard Chapman, PhD

Professor & Chair

Pain Research Center, Department of Anesthesiology, University of Utah

Paul Christo, MD, MBA

Assistant Professor, Director, Multidisciplinary Pain Fellowship Program, Division of Pain Medicine,

Department of Anesthesiology and Critical Care Medicine, Johns Hopkins University School of Medicine

Michael J. Cousins, MD, DSC

Professor, Anaesthesia

Northern Clinical School, Kolling Institute of Medical Research, Royal North Shore Hospital, The University of Sydney

Steven Cowart

Flight Simulation Project Manager NASA

Patrick Coyne, RN

Clinical Nurse Specialist and Clinical Director Thomas Palliative Care Unit at the Medical College of Virginia Hospitals/Virginia Commonwealth Health Systems

David Craig

Clinical Pharmacist Specialist H. Lee Moffitt Cancer Center

Mia Cruz

Owner

Cruz-Net

Catherine Daly

RN Lamaze instructor

American nurses association

Erika DeCarlo

Volunteer Advocate

POPAN

Mary Doino

Advocare

Patient Advocate

Larry C. Driver, MD

Professor and Vice-Chair; Adjunct Ethicist, Clinical Ethics Consultation Department of Anesthesiology and Pain Medicine at The University of Texas M.D. Anderson Cancer Center

Claretta Dupree

Assistant Professor

Milwaukee School of Engineering

Robert Echenberg

MD

Pelvic Pain Management

Elizabeth Ely, RN, PhD

Nursing Researcher

Center for Pediatric Nursing Research and Evidence Based Practice at the Children's Hospital of Philadelphia

Perry G. Fine, MD

Professor of Anesthesiology

Pain Research Center, School of Medicine, University of Utah

Judy Fine-Edelstein, MD

MD

Neurologist

G. Allen Finley, MD, FRCPC, FAAP

Professor of Anesthesia and Psychology Dalhousie University Medical School

Teresa Flynn, RN, BSN

Director of Accreditation

AAPM

Wanda Fry

Patient & caregiver

Paul Gileno

President/Founder

US Pain Foundation inc.

Toni Glover

Family Nurse Practitioner

University of Florida, Pain Research &

Intervention Center of Excellence

Una Gohery-Loose

CCRN.

Donna Gray

RNBSN

Thomas B. Gregory, Pharm. D.

Clinical Lead Pharmacist - Surgery and Corporate Pain Committee Co-Chair

Truman Medical Center-Hospital Hill

Beth Grunschel

Psychiatry Resident

Yale University

Stacy Gunter

Diana Gustafsson

Assistant Director for Scientific Affairs

Alzheimer's Drug Discovery Foundation

R. Whit Hall, MD

Professor, Neonatology

University of Arkansas for Medical Sciences

Helen Harris

Chronic Pain

Gwenn Herman

Executive Director

Pain Connection-Chronic Pain Outreach Center,

Inc.

Chris Herndon, PharmD, BCPS, CPE

Assistant Professor

Southern Illinois University Edwardsville

Keela A. Herr, PhD, RN, FAAN, AGSF

Professor & Chair, Adult & Gerontology

College of Nursing, The University of Iowa

Pamela M. Hertzler

Registered Nurse

C Philip Hudson MD

Residency Program Director

Dept of Family & Preventive Medicine UAMS

Sandra H. Johnson, JD, LLM

Professor Emerita of Law and Health Care

Ethics, Mayday Fellowship Advisory Committee

Member

St. Louis University School of Law

Celeste Johnston, RN

Professor

School of Nursing at McGill University, Quebec

Mike Karnyski

Member

CRPS/RSD Support Group for Buffalo and WNY

Tom Kelly, President/CEO

Presicent/CEO

Patient Physician Trust Partnership

Donna Kloppenburg

Forum Director

Methadone Support.Org

Susan Kuhn

Healthcare Communications Consultant

Alison Lauber

associate professor Family & palliative medicine Medical college of Georgia

Kelly Lloyd

Director

SarcoidosisOnlineSites.com

Melissa Matrese

Patient & caregiver

Stephen Matrese

Founding Member

Central Pain Syndrome Foundation

Lora McGuire

Member

ASPMN, APS

Ewan McNicol, RPh, MS

Assistant Professor of Anesthesiology Tufts University School of Medicine

Corinna Morton

Chronic Pain Patient

Beth Murinson, MS, MD, PhD

Director of Pain Education and Assistant

Professor of Neurology

Johns Hopkins School of Medicine

Shirley Otis-Green, MSW, LCSW, ACSW, OSW-C

0344-0

Senior Research Specialist

Division of Nursing Research and Education, Department of Population Sciences, City of

Hope National Medical Center

Nicky Otts

CEO

ReCept

Lorie Parch

Editor in Chief

Pain Solutions Magazine

Debbie Pasnak

Advocate

ACPA

Franklin Perry, MD

President

Rainbow Medical Corporation

Daniel Phelps

Senior Project Manager

Mordecai Potash

Associate Professor of Psychiatry & Neurology

Tulane University School of Medicine

Theodore Price

Assistant Professor of Pharmacology

University of Arizona

Margy Priddy

Education Coordinator

Cape Fear Valley Health System

Thomas Purtzer

MD

Intractable Pain Centers

M. Cary Reid, MD, PhD

Associate Professor of Medicine & Director Cornell Columbia Translational Research

Institute on Pain in Later Life, Weill Cornell

Medical College

Pamela Ressler

President

Stress Resources LLC

Elaine Rice

Writer/consultant

Tim Riley

Stephen Roberts

MD, CEO

Doctor Steve's Banjo

Kimberley Robinson

Patient

Amy Rowe

Psychotherapist

Chase Samsel

Pediatrics/Psychiatry Resident Brown Residency Program

Valerie Schafer

Senior Engineering Consultant

Jack Schwartz

Visiting Law Professor and former Assistant Attorney General, Maryland Attorney General's Office

University of Maryland School of Law

Renee Sharp

LPN

Judy Spross

Professor

University of Southern Maine

Steven Stanos

Dir., Corporate Pain Services Rehabilitation Institute of Chicago

Laura S Stone

Assistant Professor

McGill University Centre for Research on Pain

Scott Strassels, PharmD, PhD, BCPS

Assistant Professor in the Division of Pharmacy Practice, Adjunct Assistant Professor of Public Health

University of Texas at Austin, College of Pharmacy

Paula Tanabe

Research Assistant Professor Northwestern University

Joan M. Teno, MD, MS

Professor of Community Health and Medicine, Mayday Fellowship Advisory Committee Member Warren Alpert School of Medicine of Brown University

Marsha Tyszler

RSD patient, advocate, volunteer for RSDSA/TOP, and RSD Facebook support group leader

Barry Ulmer

Executive Director

The Chronic Pain Association of Canada

Tom Watson

DPT DAAPM

American Academy of Pain Management

Darla Wattier

Disabled

Steven J. Weisman, MD

Jane B. Petit Chair in Pain Management and Professor of Anesthesiology and Pediatrics, Medical College of Wisconsin Children's Hospital of Wisconsin Fletcher White Professor in Anesthesia Indiana University School of Medicine

John Williams

Professor & Chair Anesthesiology & University of Pittsburgh

Sheila Yates

William T. Zempsky, MD

Professor of Pediatrics, Associate Director of the Pain Relief Program at Connecticut Children's Medical Center University of Connecticut School of Medicine

Stephen Ziegler

Associate Professor Indiana University-Purdue University Fort Wayne Support for this report was provided by The Mayday Fund, a grantmaking organization working to alleviate the incidence, degree and consequence of human physical pain. The Mayday Fund does not lobby or retain individuals or organizations to lobby. For more information, please visit www.maydayfund.org.

This project was facilitated and developed with the assistance of Burness Communications. Burness Communications provides public relations support to nonprofit organizations worldwide. For more information, please visit www.burnesscommunications.com.

References

ⁱ Original report source material: U.S. Department of Health and Human Services. Health, United States, 2006. With chartbook on trends in the health of Americans [Internet]. Hyattsville, MD: National Center for Health Statistics [cited 2009 Sept 4]. Available from: http://www.cdc.gov/nchs/data/hus/hus06.pdf. UPDATE: This estimate is based on CDC data which looks at patients whose pain lasts more than 24

UPDATE: This estimate is based on CDC data which looks at patients whose pain lasts more than 24 hours. Because estimates of the number of Americans suffering from chronic or persistent pain vary widely, the Special Committee used this number, which they feel is a conservative estimate based on several studies. For example, Watkins EA, Wollan PC, Melton LJ 3rd, Yawn BP. A population in pain: report from the Olmsted County health study. Pain Med. 2008;9(2):166-74, found that of more than 3500 adults living in Minnesota (the response rate was 61%), 64.4% had pain lasting longer than three months in duration. These individuals had more days per months with pain, more moderate or severe pain, and greater levels of interference with general activities and sleep than the people with acute and sub-acute pain, and over 21% of chronic pain sufferers report dissatisfaction with current care. Extrapolating a 64% rate to the current U.S. adult population shows 70 million people suffering from chronic or persistent pain to be quite conservative.

- ii American Academy of Pain Medicine [Internet]. Glenview, IL: AAPM; Accessed 2009 Sept 28. Available from: http://www.painmed.org/patient/facts.html
- iii Data on specific disease burdens is available from the Center for Disease Control and Prevention's FastStats website available from: http://www.cdc.gov/nchs/fastats/. The burden of pain is available from: http://www.cdc.gov/nchs/data/hus/hus06.pdf.
- National Institutes of Health [Internet]. NIH guide: new directions in pain research: I. Bethesda, MD: National Institutes of Health. 1998 Sept 4 [cited on 2009 July 30]. Available from: http://grants.nih.gov/grants/guide/pa-files/PA-98-102.html.
- ^v Dubois MY, Gallagher RM, Lippe, PM. Pain medicine position paper. Pain Medicine 2009;10(6): 987
- vi American Pain Foundation [Internet]. Pain resource guide: getting the help you need. 2009 June [cited on 2009 July 30]; pg 2. Available from: http://www.painfoundation.org/learn/publications/files/PainResourceGuide2009.pdf.
- vii Jones GT, Power C, Macfarlane GJ. Adverse events in childhood and chronic widespread pain in adult life: results from the 1958 British birth cohort study. Pain 2009; 143(1-2):92-96.
- viii McLean SA, Clauw DJ, Abelson JL, Liberzon I. The development of persistent pain and psychological morbidity after motor vehicle collision: integrating the potential role of stress response systems into a biopsychosocial model. Psychosom Med. 2005 Sep-Oct; 67(5):783-90.
- ix Portenoy, R, Ugarte C, Fuller I, Haas G. Population-based survey of pain in the United States: differences among white, African American and Hispanic subjects. Journal of Pain 2004;5: 317-318.
- * American Pain Society [Internet]. Pain assessment and treatment in the managed care environment. 2000 Jan 11 [cited on 2009 July 30]. Available from: http://www.ampainsoc.org/advocacy/assess treat mce.htm
- ^{xi} HealthReform.Gov: "Secretary's Corner" [Internet]. Preventing diseases before they happen. Accessed 2009 Sept 14. Available from: http://www.healthreform.gov/forums/secretaryscorner.html.
- xii McLean SA, Clauw DJ, Abelson JL, Liberzon I. The development of persistent pain and psychological morbidity after motor vehicle collision: integrating the potential role of stress response systems into a biopsychosocial model. Psychosom Med. 2005 Sep-Oct;67(5):783-90.
- xiii The National Institute of Neurological Disorders and Stroke [Internet]. Pain: hope through research [Internet]. 2009 Aug 3 [cited on 2009 July 30]. Available from: http://www.ninds.nih.gov/disorders/chronic pain.

- viv Green CR, Anderson KO, Baker TA, Campbell LC, Decker S, Fillingim RB, et al. The Unequal Burden of Pain: Confronting Racial and Ethnic Disparities in Pain. Pain Medicine 2003; 4(3):277-294.
- ^{xv} Fuentes M, Hart-Johnson T, Green CR. The association among neighborhood socioeconomic status, race and chronic pain in black and white older adults. Journal of the National Medical Association 2007;99(10): 1160-1169.
- xvi Todd KH, Deaton C, D'Adamo AP, Goe L. Ethnicity and analgesic practice. Annals of Emergency Medicine 2000:35: 11-16.
- xvii Freeman HP, Payne R. Racial injustices in health care. New England Journal of Medicine 2000;342(14):1045-1047.
- xviii Todd KH, Samaroo N, Hoffman JR. Ethnicity as a risk factor for inadequate emergency department analgesia. Journal of the American Medical Association 1993 Mar 24;269(12): 1537-39.
- xix Green, CR. Pain Disparities and Practice: Opportunities to Improve Health Policy and Healthcare Quality. Proceedings of the 2008 American Academy of Pain Management meeting; 2008 Sept 9.
- xx Hadjistavropoulos T, Herr K, Turk DC, et al. An interdisciplinary expert consensus statement on assessment of pain in older persons. Clin J Pain 2007;23 Suppl.: S1-43
- xxi Dowden S, McCarthy M, Chalkiadis G. Achieving organizational change in pediatric pain management. Pain Res Manage 2008;13(4):321-326.
- ^{xxii} Green CR, Anderson KO, Baker TA, Campbell LC, Decker S, Fillingim RB, et al. The Unequal Burden of Pain: Confronting Racial and Ethnic Disparities in Pain. Pain Medicine 2003; 4(3):277-294.
- ^{xxiii} Green CR. The healthcare bubble through the lens of pain research, practice, and policy: advice for the new president and congress. The Journal of Pain 2008;136(3): 1071-1073.
- vxiv Data on specific disease/research area spending for 2008 is available through the National Institutes of Health's Research Portfolio Online Reporting Tool (RePORT). The NIH's FY 2008 budget was \$30,385,000,000, according to the NIH's website. National Institutes of Health [Internet]. Research Portfolio Online Reporting Tool (RePORT). Bethesda, MD: NIH; 2008 [cited on 2009 July 30]. Available from: http://www.report.nih.gov/nihdatabook/Carts/SlideGen.aspx?chartId=4&catId=1.
- xxv National Institutes of Health [Internet]. Research Portfolio Online Reporting Tool (RePORT). Bethesda, MD: NIH; 2008 [cited on 2009 July 30]. Available from: http://www.report.nih.gov/nihdatabook/Carts/SlideGen.aspx?chartId=4&catId=1.
- xxvi Max, MB. Addressing the decline in NIH pain research funding. The Journal of Pain 2008;9(12): 1074-1076.
- xxvii Committee on Comparative Effectiveness Research Prioritization, Institute of Medicine. Initial national priorities for comparative effectiveness research. 2009 Jun 30. Available from http://www.iom.edu/CMS/3809/63608/71025.aspx.
- ^{xxviii} Martin BI, Deyo R, Mirza SK, Turner JA, Comstock BA, Hollingworth, W, et al. Expenditures and health status among adults with back and neck problems. Journal of the American Medical Association 2008; 299(6):656-664.
- xxix The President's Council of Economic Advisors [Internet]. The economic case for health care reform. 2009 Jun [cited on 2009 July 30]. Available from: http://www.whitehouse.gov/administration/eop/cea/TheEconomicCaseforHealthCareReform/.
- xxx National Institutes of Health [Internet]. NIH guide: new directions in pain research: I. Bethesda, MD: National Institutes of Health. 1998 Sept 4 [cited on 2009 July 30]. Available from: http://grants.nih.gov/grants/guide/pa-files/PA-98-102.html.
- Martin BI, Deyo R, Mirza SK, Turner JA, Comstock BA, Hollingworth, W, et al. Expenditures and health status among adults with back and neck problems. Journal of the American Medical Association 2008; 299(6):656-664.

xxxii American Diabetes Association [Internet]. Direct and indirect costs of diabetes in the United States. [cited on 2009 July 30] Available from: http://www.diabetes.org/diabetes-statistics/cost-of-diabetes-in-us.jsp.